

HYSTERECTOMY



PARIJATHAM
WOMEN WELLNESS CLINICS



<http://www.hyderebadgynaecology.com>



INDICATIONS

PAIN BLEEDING CANCERS





TYPES

4 types

ROUTES


3 routes

Level 2 Above Karachi Bakery, Shaikpet



Incision

Uterus



LAP VS OPEN



COSMETIC

LAP HYSTERECTOMY

LESS PAIN

EARLY FEEDING

EARLY MOBILITY

SHORT HOSPITAL STAY





VAGINAL HYSTERECTOMY

This route for hysterectomy is used for women with small uterus in elderly women who have lax muscles in the pelvis. It is also commonly used for women who have uterine descent also called prolapse of uterus. Women who had difficult child birth or multiple deliveries will have uterus prolapsing out of the vagina.



**NO
ABDOMINAL
SCAR**

**QUICK
RECOVERY**

What to Expect!



01 Surgical Profile

A group of investigations done after deciding for hysterectomy

02 Pre Anaesthetic Checkup

Anaesthetist at the hospital you choose examines you and decides fitness for surgery.

11 Admission

In the hospital bed you will be given drugs to clean your lungs and intestines day before surgery.

04 Surgery

You are given sedation to make you sleep and you will wake up in the recovery room after surgery, where you will meet your near and dear

05 Hospital Stay

You stay in the room for 3-5 days. You start to move by next day. Pain will not be much and feeding starts in a day.



STAY



PAIN




FOOD



KNOWING THE POSSIBLE WILL HELP US OVERCOME THE INEVITABLE!

IMMEDIATE

A period of soreness and tiredness is possible. These are because of the anaesthesia you undergo. Little amount of spotting is also common as the wound heals. You need a rest of 4 weeks before resuming your relations. But you can resume your routine responsibilities that do not involve physical strain.



HORMONES - THE LOVE POTIONS

DELAYED

Ovaries produce hormones - Estrogens and Progesterones. Now if ovaries were removed along with the uterus, menopause sets in. Get in touch with your Gynaecologist to compensate for this loss.

